# newell home fragrance

# **SAFETY DATA SHEET**

Version #: 07

Issue date: 23-July-2022

Revision date: 15-November-2023 Supersedes date: 27-October-2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

YC CLEAN COTTON LARGE 2WICK JAR CANDLE 1630644E

Registration number

Synonyms None.

Product code 1630644E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name Yankee Candle Company (Europe) Limited

Company Address Poplar Way East, Cabot Park

Avonmouth Bristol

United Kingdom BS11 0YH

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Belgium National Poisons** 

**Control Centre** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Bulgaria National Toxicological Information

Centre

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Croatia Poisons Information Centre** 

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Cyprus Poison Centre** 

1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

 $\pm$ 420 224 919 293, or  $\pm$ 420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons Control Centre** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Greece Poison Information Centre telephone number** 

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Iceland Poison Centre** (+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: YC CLEAN COTTON LARGE 2WICK JAR CANDLE 1630644E

1630644E Version #: 07 Revision date: 15-November-2023 Issue date: 23-July-2022

1.4. Emergency telephone number

Latvia Emergency medical

aid

Latvia Poison and Drug Information Centre

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC) NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Centre +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

**Supplemental label information** EUH208 - Contains Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate, cis-, Hexyl Cinnamal,

Isocyclemone E, Oils, orange, sweet, Octabenzone, d-Limonene, Benzoic acid, 2-hydroxy-, hexyl

ester, Lyral. May produce an allergic reaction.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

| nethylethyl)-, | ≤ 1  | 40444  |   |   |  |  |
|----------------|--|--|---|---|--|--|
|                |  | 10411-<br>233-8  |   | -   | -  |  |
| lassification: | Acute Tox.                                   | 4;H302;(AT   | E: 500 m  | ıg/kg bw), Skin Sens. 1B;H3   | 317  |  |
|                | ≤ 1  |  |   | 01-2119533092-50  | -  |  |
|                |  |  | Aquatic A   | cute 1;H400(M=1), Aquatic   |  |  |
|                | ≤ 0,3  |  |   | -   | -  |  |
| lassification: | Skin Irrit. 2                                | 2;H315, Skin   | Sens. 1   | 3;H317, Aquatic Chronic 1;F   | 1410   |  |
|                | ≤ 0,3  |  |   | -   | -  |  |
| lassification: | Skin Sens                                    | . 1B;H317  |   |   |  |  |
|                | ≤ 0,3  |  |   | -   | -  |  |
|                |  |  |   |   | Sens.  |  |
| -, hexyl ester | ≤ 0,2  |  |   | 01-2119638275-36  | -  |  |
|                |  |  | Aquatic A   | cute 1;H400(M=1), Aquatic   |  |  |
|                | ≤ 0,2  |  |   | -   | 601-096-00-2   |  |
|                |  |  |   |   |  |  |
|                | lassification: lassification: -, hexyl ester | lassification: Skin Sens Chronic 2; ≤ 0,3 lassification: Skin Irrit. 2 ≤ 0,3 lassification: Skin Sens ≤ 0,3 lassification: Flam. Liq. 1;H317, A: -, hexyl ester ≤ 0,2 lassification: Skin Sens Chronic 1; ≤ 0,2 lassification: Flam. Liq. 1;H304, A: | 202-98    lassification: Skin Sens. 1B;H317, A Chronic 2;H411 | 202-983-3   202-983-3   202-983-3   202-983-3   202-983-3   203 | 202-983-3  lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411  ≤ 0,3 54464-57-2 - 259-174-3  lassification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;F  ≤ 0,3 1843-05-6 - 217-421-2  lassification: Skin Sens. 1B;H317  ≤ 0,3 8008-57-9 - 616-926-9  lassification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411  -, hexyl ester ≤ 0,2 6259-76-3 01-2119638275-36 228-408-6  lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1)  ≤ 0,2 5989-27-5 - 227-813-5  lassification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1B;H317, 1;H304, Aquatic Acute 1;H400(M=1), Aquatic Chronic 3;H4 | 202-983-3  lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411  ≤ 0,3 54464-57-2 259-174-3  lassification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410  ≤ 0,3 1843-05-6 217-421-2  lassification: Skin Sens. 1B;H317  ≤ 0,3 8008-57-9 616-926-9  lassification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411  -, hexyl ester ≤ 0,2 6259-76-3 01-2119638275-36 - 228-408-6  lassification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1)  ≤ 0,2 5989-27-5 - 601-096-00-2 227-813-5  lassification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Acute 1;H400(M=1), Aquatic Chronic 3;H412 |

Other components below reportable

levels

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms

and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any Treat symptomatically.

immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

Material name: YC CLEAN COTTON LARGE 2WICK JAR CANDLE 1630644E 1630644E Version #: 07 Revision date: 15-November-2023 Issue date: 23-July-2022 5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

 $Stop\ the\ flow\ of\ material,\ if\ this\ is\ without\ risk.\ Following\ product\ recovery,\ flush\ area\ with\ water.$ 

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

Avoid prolonged exposure. Observe good industrial hygiene practices.

handling

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

**7.3. Specific end use(s)**Observe industrial sector guidance on best practices.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -

Chemical agents, as amended

| Components                    | Туре | Value    | Form  |
|-------------------------------|------|----------|-------|
| Petrolatum (CAS<br>8009-03-8) | STEL | 10 mg/m3 | Mist. |
|                               | TWA  | 5 mg/m3  | Mist. |

# Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

| Components                    | Туре | Value   |  |
|-------------------------------|------|---------|--|
| Petrolatum (CAS<br>8009-03-8) | TWA  | 5 mg/m3 |  |

# Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2. Part A & Annex 3. Part A. as amended)

| Components                    | Туре                                | Value                       | Form    |
|-------------------------------|-------------------------------------|-----------------------------|---------|
| Petrolatum (CAS 8009-03-8)    | Ceiling                             | 10 mg/m3                    | Aerosol |
|                               | TWA                                 | 5 mg/m3                     | Aerosol |
| Denmark. Work Environment     | Authority. Exposure Limits for Sul  | ostances & Materials, Annex | 2       |
| Components                    | Туре                                | Value                       | Form    |
| d-Limonene (CAS<br>5989-27-5) | TLV                                 | 25 ppm                      |         |
| Petrolatum (CAS 8009-03-8)    | STEL                                | 2 mg/m3                     | Mist.   |
|                               | TLV                                 | 1 mg/m3                     | Mist.   |
| Finland. HTP-arvot, App 3., B | inding Limit Values, Social Affairs | and Ministry of Health      |         |
| Components                    | Туре                                | Value                       | Form    |
| d-Limonene (CAS 5989-27-5)    | STEL                                | 280 mg/m3                   |         |
|                               |                                     | 50 ppm                      |         |
|                               | TWA                                 | 140 mg/m3                   |         |

25 ppm

|  | Туре   | Value  | Form   |
|--|--|--|--|
| Petrolatum (CAS<br>009-03-8)   | TWA  | 5 mg/m3  | Mist.  |
| Germany. DFG MAK List (adv<br>n the Work Area (DFG), as ແຸ   | isory OELs). Commission for the  | Investigation of Health Hazar  | ds of Chemical Compound  |
| Components   | Туре   | Value  | Form   |
| l-Limonene (CAS<br>989-27-5)   | TWA  | 28 mg/m3   |  |
| Petrolatum (CAS<br>1009-03-8)  | TWA  | 5 ppm<br>5 mg/m3   | Respirable fraction.   |
|  | llues in the Ambient Air at the Wo   | rkplace<br>Value   |  |
| Components<br>I-Limonene (CAS  | Type  AGW  | 28 mg/m3   |  |
| 5989-27-5)   |  | 5 ppm  |  |
| Propos OELs Brosidantis! D   | 00r00 No. 207/1006 as amonded  | o kb   |  |
| Greece. OELS, Presidential Di<br>Components  | ecree No. 307/1986, as amended<br>Type   | Value  | Form   |
| Petrolatum (CAS<br>3009-03-8)  | TWA  | 5 mg/m3  | Mist.  |
| lungary. OELs. Decree on pr<br>Components  | otection of workers exposed to cl<br>Type  | nemical agents (5/2020. (II.6))<br>Value   | , Annex 1&2, as amended  |
| Petrolatum (CAS<br>009-03-8)   | TWA  | 5 mg/m3  |  |
| celand. OELs. Regulation 39  | 0/2009 on Pollution Limits and Me  | asures to Reduce Pollution a   | at the Workplace, as ameno   |
| Components   | Type   | Value  | Form   |
|  |  |  |  |
| ,  | TWA  | 1 mg/m3  | Mist.  |
| 3009-03-8) `<br>reland. OELVs, Schedules 1 a   | TWA<br>& 2, Code of Practice for Chemica<br>Type   | Ů  |  |
| reland. OELVs, Schedules 1 components Petrolatum (CAS  | & 2, Code of Practice for Chemica  | ıl Agents and Carcinogens R  | egulations   |
| reland. OELVs, Schedules 1 ocomponents Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decre  | & 2, Code of Practice for Chemica<br>Type  | al Agents and Carcinogens Ro<br>Value<br>5 mg/m3   | egulations<br>Form<br>Inhalable fraction.  |
| reland. OELVs, Schedules 1 components Petrolatum (CAS 009-03-8) rally. OELs (Legislative Decre   | & 2, Code of Practice for Chemica<br>Type<br>TWA   | al Agents and Carcinogens Ro<br>Value<br>5 mg/m3   | egulations<br>Form   |
| reland. OELVs, Schedules 1 components Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decrecomponents Petrolatum (CAS   | & 2, Code of Practice for Chemica<br>Type<br>TWA<br>se n.81, 9 April 2008), as amended   | al Agents and Carcinogens Ro<br>Value<br>5 mg/m3   | egulations<br>Form<br>Inhalable fraction.  |
| reland. OELVs, Schedules 1 decomponents Petrolatum (CAS 8009-03-8) taly. OELs (Legislative Decre Components Petrolatum (CAS 8009-03-8) Petrolatum (CAS 8009-03-8)  | & 2, Code of Practice for Chemica<br>Type<br>TWA<br>se n.81, 9 April 2008), as amended<br>Type   | al Agents and Carcinogens Revalue 5 mg/m3  Value 5 mg/m3   | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 8009-03-8)  taly. OELs (Legislative Decrecomponents  Petrolatum (CAS 8009-03-8)  atvia. OELs. Occupational E 1, as amended  | & 2, Code of Practice for Chemica<br>Type  TWA  ee n.81, 9 April 2008), as amended Type  TWA  exposure Limits of Chemical Subs   | Value  5 mg/m3  Value  5 mg/m3  tances at Workplace (Reg. No   | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 8009-03-8)  taly. OELs (Legislative Decre Components  Petrolatum (CAS 8009-03-8)  Latvia. OELs. Occupational Ed.), as amended Components  Petrolatum (CAS 8009-03-8)  | & 2, Code of Practice for Chemica<br>Type<br>TWA<br>se n.81, 9 April 2008), as amended<br>Type<br>TWA  | al Agents and Carcinogens Revalue 5 mg/m3  Value 5 mg/m3   | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 8009-03-8)  taly. OELs (Legislative Decredomponents  Petrolatum (CAS 8009-03-8)  Latvia. OELs. Occupational Edition (CAS 8009-03-8)  Latvia. OELs. Occupational Edition (CAS 8009-03-8)  Letrolatum (CAS 8009-03-8)  Letrolatum (CAS 8009-03-8)  Letrolatum (CAS 8009-03-8)   | & 2, Code of Practice for Chemica<br>Type  TWA  ee n.81, 9 April 2008), as amended Type  TWA  exposure Limits of Chemical Subs   | Value  5 mg/m3  Value  5 mg/m3  tances at Workplace (Reg. Now Lege   | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  o. 325/ 2007, L.V. 80, Annex  |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 009-03-8)  raly. OELs (Legislative Decresomponents  Petrolatum (CAS 009-03-8)  ratvia. OELs. Occupational Education (CAS 009-03-8)  retrolatum (CAS 009-03-8)  | & 2, Code of Practice for Chemica<br>Type  TWA  ee n.81, 9 April 2008), as amended Type  TWA  exposure Limits of Chemical Subs  Type  TWA  | Value  5 mg/m3  Value  5 mg/m3  tances at Workplace (Reg. Now Lege   | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  o. 325/ 2007, L.V. 80, Annex  |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 2009-03-8)  Paly. OELs (Legislative Decredomponents  Petrolatum (CAS 2009-03-8)   | & 2, Code of Practice for Chemical Type  TWA  ee n.81, 9 April 2008), as amended Type  TWA  exposure Limits of Chemical Subsemple  Type  TWA  Type  TWA  Type  TWA  Type                             | Value  5 mg/m3  Value  5 mg/m3  tances at Workplace (Reg. Now Lege of the Standard of the Stan | egulations Form Inhalable fraction.  Form Inhalable fraction.  o. 325/ 2007, L.V. 80, Annex orm HN 23:2011; Order No.  |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 009-03-8)  | & 2, Code of Practice for Chemical Type  TWA  TWA  Type  TWA  TWA  Exposure Limits of Chemical Subset  Type  TWA  Type  TWA  Type  TWA  Type  TWA  Type  | Value  5 mg/m3  Value 5 mg/m3  tances at Workplace (Reg. Notes) Value 5 mg/m3  value 5 mg/m3  value 5 mg/m3  value 5 mg/m3  value Value  | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  o. 325/ 2007, L.V. 80, Annex  orm HN 23:2011; Order No.  Form                                 |
| reland. OELVs, Schedules 1 decomponents  Petrolatum (CAS 8009-03-8)  taly. OELs (Legislative Decredomponents  Petrolatum (CAS 8009-03-8)  Latvia. OELs. Occupational Editory (CAS 8009-03-8)  Latvia. OELs. Occupational Editory (CAS 8009-03-8)  Lithuania. OELs. Occupational Editory (CAS 8009-03-8) | & 2, Code of Practice for Chemical Type  TWA  ee n.81, 9 April 2008), as amended Type  TWA  exposure Limits of Chemical Subsemble  Type  TWA  al Exposure Limit Values for Chemical Sype  Type  STEL | Value  5 mg/m3  Value 5 mg/m3  tances at Workplace (Reg. Note the second of the second | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  o. 325/ 2007, L.V. 80, Annex  orm HN 23:2011; Order No.  Form  Fume and mist.  Fume and mist. |
| Components Petrolatum (CAS 8009-03-8)  taly. OELs (Legislative Decre Components Petrolatum (CAS 8009-03-8)  Latvia. OELs. Occupational Ell), as amended Components Petrolatum (CAS 8009-03-8)  Lithuania. OELs. Occupational Components  Lettrolatum (CAS 8009-03-8)  Lettrolatum (CAS 8009-03-8)  Lettrolatum (CAS 8009-03-8)   | & 2, Code of Practice for Chemical Type  TWA  TWA  TWA  TWA  TWA  Exposure Limits of Chemical Subset  Type  TWA  TYPE  TWA  TYPE  TWA  TYPE  TWA  TYPE  TWA  TYPE  STEL  TWA                         | Value  5 mg/m3  Value 5 mg/m3  tances at Workplace (Reg. Note the second of the second | egulations Form  Inhalable fraction.  Form  Inhalable fraction.  o. 325/ 2007, L.V. 80, Annex  orm HN 23:2011; Order No.  Form  Fume and mist.  Fume and mist. |

| Infection Groups for Biologic<br>Components                | Туре                                       | Value                                 | Form                     |
|--|--|---------------------------------------|--------------------------|
| d-Limonene (CAS<br>5989-27-5)                              | TLV  | 140 mg/m3                             |                          |
|  |  | 25 ppm                                |                          |
| Petrolatum (CAS<br>3009-03-8)                              | TLV  | 1 mg/m3                               | Mist.                    |
| 1286/2018, Annex 1)  | e concentrations and intensities of        |                                       | ·                        |
| Components   | Туре                                       | Value                                 | Form                     |
| Petrolatum (CAS<br>3009-03-8)                              | TWA  | 5 mg/m3                               | Inhalable fraction.      |
| Portugal. VLEs. Norm on occ<br>Components                  | upational exposure to chemical age<br>Type | nts (NP 1796-2014)<br>Value           | Form                     |
| Petrolatum (CAS<br>8009-03-8)                              | TWA  | 5 mg/m3                               | Inhalable fraction.      |
| Romania. OELs. Limit Values<br>amended)                    | of Chemical Agents at Workplace (          | Regulation 1.218/2006, M.O            | 845, Annex 1, 3&4, as    |
| Components   | Туре                                       | Value                                 |                          |
| Petrolatum (CAS<br>8009-03-8)                              | STEL                                       | 10 mg/m3                              |                          |
| ,  | TWA  | 5 mg/m3                               |                          |
| Slovakia. OELs. Maximum pe<br>Annex 1, Table 1, as amended | rmissible exposure limits for chemi        | cal factors in workplace air          | (Regulation No 355/200   |
| Components   | Type                                       | Value                                 | Form                     |
| Petrolatum (CAS<br>3009-03-8)                              | STEL                                       | 3 mg/m3                               | Fume and mist.           |
| ,  |  | 15 ppm                                | Fume and mist.           |
|  | TWA  | 1 mg/m3                               | Fume and mist.           |
|  |  | 5 ppm                                 | Fume and mist.           |
| Slovenia. OELs. Occupationa                                | I Exposure Limits of Chemicals at V        | Vorkplace (Reg. on Protecti           | on of Workers from Risk  |
| due to Exp. to Chemicals at V<br>Components                | Vork, Ann. I 100/2001), as amended<br>Type | Value                                 |                          |
| d-Limonene (CAS  | KTV  | 112 mg/m3                             |                          |
| 5989-27-5)   |  | 20 nnm                                |                          |
| Slovenia OFLs Occupationa                                  | I Exposure Limits of Chemicals at V        | 20 ppm<br>Vorkplace (Reg. on Protecti | ion of Workers from Risk |
| due to Exp. to Chemicals at V                              |  |                                       | ion of workers from the  |
| Components   | Туре                                       | Value                                 |                          |
| d-Limonene (CAS<br>5989-27-5)                              | TWA  | 28 mg/m3                              |                          |
| • ,  |  | 5 ppm                                 |                          |
|  | de Exposición Profesional Para Age         | entes Químicos, Table 1-Va            | lores Límites Ambientale |
| (VLAs)<br>Components                                       | Туре                                       | Value                                 | Form                     |
| d-Limonene (CAS  | TWA  | 168 mg/m3                             |                          |
| 5989-27-5)   |  | 30 ppm                                |                          |
| Petrolatum (CAS  | STEL                                       | 10 mg/m3                              | Mist.                    |
| 8009-03-8)   |  |                                       |                          |
| Sweden OFIs (Appay 1) Wa                                   | TWA rk Environment Authority (AV), Occ     | 5 mg/m3                               | Mist.                    |
| Sweden. OELS (Annex 1). Wo<br>amended                      | rk Environment Authority (AV), OCC         | upauonai Exposure Liillit V           | aiues (Al'S 2010:1), aS  |
| Components   | Туре                                       | Value                                 | Form                     |
| Petrolatum (CAS  | STEL                                       | 3 mg/m3                               | Mist.                    |
|  |  |                                       |                          |
| 8009-03-8)   | TWA  | 1 mg/m3                               | Mist.                    |

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte Form Value Components Type d-Limonene (CAS **STEL** 80 mg/m3 5989-27-5) 14 ppm TWA 40 ma/m3 7 ppm Petrolatum (CAS **TWA** 5 mg/m3 Inhalable fraction. 8009-03-8)

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

**Exposure guidelines** 

Germany DFG MAK (advisory): Skin designation

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

Spain OELs: Skin designation

d-Limonene (CAS 5989-27-5)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical stateSolid.FormSolid.ColourWhite

Odour Not available.

**Melting point/freezing point**  $\geq 46 - \leq 95 \, ^{\circ}\text{C} \, (\geq 114.8 - \leq 203 \, ^{\circ}\text{F})$ 

Boiling point or initial boiling

point and boiling range

≥ 350 - ≤ 430 °C (≥ 662 - ≤ 806 °F) estimated

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper

(%)

Not available.

≥ 204 - ≤ 271 °C (≥ 399,2 - ≤ 519,8 °F) Open cup Flash point

**Auto-ignition temperature** 200 °C (392 °F) estimated

Not available. **Decomposition temperature** Not available рΗ

Kinematic viscosity  $> 2.5 - < 4.5 \text{ mm}^2/\text{s} (cSt) (100°C)$ 

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 0,119339 hPa estimated

Density and/or relative density

Density ≥ 800 - ≤ 900 kg/m3 Not available. Vapour density Particle characteristics Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity  $\geq 0.8 - \leq 0.9$ 

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

Strong oxidising agents. 10.5. Incompatible materials

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

#### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eve contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Not known.

**Test Results** Components **Species** 

Octabenzone (CAS 1843-05-6)

**Acute Dermal** 

LD50 Rabbit > 10 g/kg

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye Due to partial or complete lack of data the classification is not possible.

irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** 

Mixture versus substance

information

Due to partial or complete lack of data the classification is not possible.

## 11.2. Information on other hazards

**Endocrine disrupting** properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a

concentration equal to or greater than 0.1% by weight.

Other information May cause allergic respiratory and skin reactions.

No information available.

# **SECTION 12: Ecological information**

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

Components **Species Test Results** 

d-Limonene (CAS 5989-27-5)

Aquatic

Acute

EC50 Crustacea Water flea (Daphnia pulex) 69,6 mg/l, 48 hours

LC50 Fish Fathead minnow (Pimephales promelas) 0,619 - 0,796 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water (log Kow)

Benzoic acid, 2-hydroxy-, hexyl ester 5,5 4,57 d-Limonene 4.686 Hexyl Cinnamal Octabenzone 6.96

7,6 Estimated

Not available. **Bioconcentration factor (BCF)** 

assessment

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a

concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: YC CLEAN COTTON LARGE 2WICK JAR CANDLE 1630644E

1630644E Version #: 07 Revision date: 15-November-2023 Issue date: 23-July-2022

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Special precautions** Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

#### **ADR**

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IMDG** 

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards Marine pollutant Nο

Not assigned. **EmS** 

14.6. Special precautions

for user

Not assigned.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

#### France regulations

#### **France INRS Table of Occupational Diseases**

Not regulated.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average.

Material name: YC CLEAN COTTON LARGE 2WICK JAR CANDLE 1630644E

1630644E Version #: 07 Revision date: 15-November-2023 Issue date: 23-July-2022

VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
Product and Company Identification: Product Codes

SECTION 2: Hazards identification: Disposal SECTION 2: Hazards identification: Prevention SECTION 2: Hazards identification: Response SECTION 2: Hazards identification: Storage

Training information

**Revision information** 

Follow training instructions when handling this material.

Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: YC CLEAN COTTON LARGE 2WICK JAR CANDLE 1630644E 1630644E Version #: 07 Revision date: 15-November-2023 Issue date: 23-July-2022